## GC Application



## Mineral Oil on ZB-1XT 5x0.53x0.15

Column:	Zebron <sup>™</sup> ZB-1XT SimDist Metal, GC Cap. Column 5 m x 0.53 mm x 0.15 µm, Ea
Phase:	100% Dimethylpolysiloxane
Dimensions:	5 meters x 0.53 mm x 0.15 µm
Order No:	7AK-G026-05
<b>Oven Profile:</b>	35 °C to 450 °C @ 15 °C/min for 10 min


Carrier Gas:	Constant Flow Helium, 15 mL/min
Injection:	On-Column :1 1 μL @ 38°C
Detection:	Flame Ionization (FID) (450°C)
Analyst Note:	Sample was 1% in CS2

19257



Products used in this application:





## **ANALYTES:**

**1** Mineral oil

©2025 Phenomenex Inc. All rights reserved.

Phenomenex products are available worldwide.

www.phenomenex.com.cn

For more information contact your Phenomenex Representative at info@phenomenex.com