

## FMOC-Gln(Trt)-OH on Lux 5µm Cellulose-4 in RP

**Column:** Lux® 5 µm Cellulose-4, LC Column 250 x 4.6 mm, Ea

**Dimensions:** 250 x 4.6 mm ID

**Order No:** 00G-4491-E0

**Elution Type:** Isocratic

**Eluent A:** MeOH / 0.1% TFA (90:10) with TFA (0.1%) in buffer

Gradient	Step No.	Time (min)	Pct A
<b>Profile:</b>	<b>1</b>	0	100

**Flow Rate:** 1 mL/min

**Col. Temp.:** ambient

**Detection:** UV-Vis Abs.-Variable Wave.(UV) @ 220 nm (ambient)

21632

21632

mAU

200

100

0

0

2

4

6

8

10

min

 $\alpha=1.20$ 

7.326

8.204



Products used in this application:



### ANALYTES:

- 1** FMOC-Gln(Trt)-OH  
Retention Time: 7.326 min
- 2** FMOC-Gln(Trt)-OH  
Retention Time: 8.204 min

